

**ATL InfoTech**  
**JSON SMS CONNECTION**

## 1. All requests should be sent:

[https://click.atlsms.az/index.php?app=json\\_api\\_send](https://click.atlsms.az/index.php?app=json_api_send)

login	Your login
key	MD5(Your Password)
sender	Your Sender name
scheduled	NOW or date-time ( 2021-12-19 15:40:05)
text	Your Message text (1000)
msisdn	Recipients phone number (994709990907)
unicode	true or false

### Examples:

```
{
"login":"test",
"key":"0c5d8d552599dc84fbf3a08fc9h52a0",
"sender":"ATL_SMS",
"scheduled":"NOW",
"text":"hello",
"msisdn":"994551234567",
"unicode ":false
}
```

If operation is successful, you will get response from server with TRANSACTION\_ID :

### Examples:

```
{
"message": "Sms sent successfully.",
" transId":"159686209"
}
else,
{
"message": " Unable Error.",
"error_code":ERROR_CODE
}
```

## 2. Get delivery reports

[https://click.atlsms.az/index.php?app=json\\_api\\_report](https://click.atlsms.az/index.php?app=json_api_report)

login	Your login
key	MD5(Password)
transid	Transaction_id

### Examples:

```
{
  "login": "test",
  "key": "0c5d8d552599dc84fbf3a08fc9h52a0",
  "transid": "318695390"
}
```

If operation is successful, you will get delivery status response from server

### Examples:

```
{
  "message": "Report is successfully.",
  "delivery_status": "101"
}
else,
{
  "message": "Unable Error.",
  "error_code": ERROR_CODE
}
```

Code	Delivery Status
100	QUEUED
101	DELIVRD
102	UNDELIV
103	EXPIRED
109	BLACK_LIST

### 3. Error Response Codes

Code	Description (ERROR_CODE)
-20	Invalid login
-18	Invalid key
-13	Invalid sender
-15	Invalid scheduled
-16	Invalid transId
-11	Long Sms error
-14	No Balance
-12	Data is incomplete.